


3211 Fostoria Way, Unit E
San Ramon, CA 94583
(925) 277-9244

43815 S Grimmer Blvd
Fremont, CA 94538
(510) 656-6233

Spring TOOL SPECIAL



25' AUTO REWIND HOSE REEL W/ HOSE

- 300 PSI 3/8" NPT air hose
- Heavy gauge steel
- Maximum 300 PSI working pressure
- Reel mounts on floor, wall or ceiling
- Spring powered auto rewind makes hose return a snap
- Popular item for both commercial markets and do-it-yourselfers

\$94¹⁹



M608

50' AIR HOSE REEL W/ HOSE

- Heavy gauge steel construction for years of reliable service in the toughest conditions
- Complete with 3/8" x 50' rubber air hose rated to 300 PSI
- Quick release wall mount plate makes it easy to remove reel for remote use
- Internal brake for controlled release of air hose
- 3' x 3/8" rubber lead hose with 1/4" NPT brass fittings included
- Flexible hose lead for extended life

M672

\$95⁴⁹



LOCKING LUG NUT MASTER KEY SET

- 16 different key shapes to fit a wide variety of stock and after-market wheel locking lug nuts
- Ensure you have the special key when it's time to change brake pads or rotate the tires
- Double hex-head design allows them to be used with both 13/16 and 7/8 in. lug or combo wrench
- Includes Spline Style Keys: 5-spline, 6-spline, 7-spline, and 12-spline. Hex Keys: 9/16-inch, 12mm, 12mm fluted, and 15mm. Star Keys: 8-point, 9-point, 10-point

M994



\$73¹⁹

2-1/2 TON GARAGE SERVICE JACK

- 5,000 lb. capacity
- Maximum height 19 1/4"
- Heavy duty construction 84 lb. GSW

W1612

\$247⁷⁹



**5000 lb.
CAPACITY**



3 TON RAPID LIFT LOW PROFILE FLOOR JACK

- Dual piston rapid lift, raises most vehicles with just 3-1/2 pumps
- The modern design is ideal for the extra-low-profile vehicles
- Precision-welded steel construction, with a powder-coated finish, and rust-resistant hardware
- 45-1/2 in. long handle with a foam sleeve to protect the vehicle's side panel from damage
- Lift Range: 3-1/4 to 20 in
- Load Capacity: 6,000 lb
- Meets or exceeds ASME PALD-2014

**6000 lb.
CAPACITY**

\$283¹⁹



W1626

HYDRAULIC BOTTLE JACKS

- Heat treated critical stress areas ensure long life performance
- Steel lifting saddle cleated for better load stability
- Two piece sectional handle for easy assembly and storage
- Oversize cast iron base for extra durability but still easily portable
- Meets or exceeds ASME PALD-2009

2 TON - W1621 \$18⁴⁹

6 TON - W1625 \$29⁸⁹

8 TON - W1628 \$40²⁹

12 TON - W1632 \$47³⁹

20 TON - W1633 \$67³⁹



3 PC. DEAD BLOW HAMMER SET

- Set includes 12-oz. brass hammer, 16-oz. ball-peen hammer, and 8-oz. dead blow hammer
- All three hammers' steel shot filled canister creates a dead blow effect; maximizes force, reduces rebound, and absorbs the shock of impact
- The non-sparking, chemical-resistant molded urethane covering is bright orange for high visibility and safety



M7234

\$38²⁹

12 PC. TRIM REMOVAL KIT IN JAR

- Great kit for removing car stereo trim, door/dashboard panels, moldings, trim clips, or any other plastic interior or exterior components
- 12 multi-function trim tools provide 22 different end designs for removing interior and exterior trim, panels, and fasteners
- Universal application for all makes and models of cars, boats, and RVs
- Variety of shapes and sizes for confined, hard to reach areas



W1760



\$14⁴⁹

5 PC. SCRAPER & REMOVER SET

- Includes 8 and 11" multi purpose scrapers, 7" radiator hose remover, 9" scratch awl and 9" cotter pin puller
- Durable alloy steel shafts

\$11⁴⁹



W235

1,000 PC. CABLE TIE ASSORTMENT 4 TO 12"

- Handy assortment of lengths and colors for the home, office, or shop
- Self-locking cable ties grip securely and provide a quick, inexpensive way to secure wires, hoses, fencing, and more
- UV-stable carbon, added to the nylon resin, is CE lab certified and provides up to 10X the lifespan of non-treated ties when exposed to direct sunlight
- All cable ties are UL listed - E243263

\$15⁴⁹



W2925

Includes: 100 pc. each: 4 in. (101 mm) in red, blue, green, yellow, and white, w/18 lb. (8 kg) tensile strength; 100 pc. 6 in. (152 mm) in white, w/18 lb. (8 kg) tensile strength; 100 pc. each: 8 in. (203 mm) in white, red, and yellow, w/40 lb. (18 kg) tensile strength; 100 pc. 12 in. (304 mm) in white, w/40 lb. (18 kg) tensile strength



AUTOMATIC WIRE STRIPPERS

- Cuts and removes insulation from wire with a single squeeze of the handle
- Accepts 18, 14, 12, 10 & 8 GA AWG wire

W200

\$13⁶⁹




JET TORCH

- Heating temperature up to 1300 deg. Celsius, 2500 deg. Fahrenheit
- Refillable with an adjustable flame
- Melts solder, gold, small brazing rod, tin and much more
- For use at home, shop, or on the road repairs

W2002

\$15⁷⁹



HEATS UP TO
2,500°F
1,300°C



1200+ LM LI-ION LED DROP LIGHT

- All the durability of a traditional drop light with the efficiency of LED technology
- Built-in lithium ion batteries provide cordless operation for up to two hours
- Impact resistant handle with non-slip rubber grip and magnetic bracket
- Specifications: 1200 lumens, 2 hour runtime, 4 hour charging time, dual built-in 18650 2200mAh cells, 3.7V, 3.6A, 0.9A input current
- Includes 1M (39 inch) micro USB charging cable
- US Patent D883560

W2240

\$30⁵⁹



7-1/2 GALLON DRAIN TUB

- Large drain pan is ideal for collecting engine fluids during servicing with its wide opening
- Built in basin surface facilitates washing and sorting of smaller parts
- High density Polyethylene construction stays rigid, even with hot oil
- Excessive size helps prevent overflow or spillage, total capacity 7.5 gallons (28.4 liter)

W4072

\$42⁸⁹



1250 LB. ENGINE STAND W/TRAY

- Stable 4 wheel design
- Head rotates 360 degrees and locks in 6 positions
- Sturdy metal parts tray
- Securely holds most foreign and domestic engine blocks
- Fully adjustable mounting head assembly
- Rugged heavy gauge tubular steel construction

W41031

\$179⁷⁹



1250 lb.
CAPACITY

JACK STANDS (1 PAIR)

- Constructed of heavy duty steel for strength and durability
- Large saddle surface area provides better contact
- Ratchet style for easy adjustments
- Durable, weather-resistant powder-coated surface

2 TON - W41021 \$33⁶⁹

- Lift Range: 10-3/8 to 16-3/8 in

6 TON - W41023 \$76²⁹

- Lift Range: 15-1/2 to 23-1/2 in



1000 LB. ENGINE STAND

- Heavy duty swivel casters for easy maneuvering
- Head assembly rotates 360 degrees and locks in 6 positions
- Securely holds most foreign and domestic engine blocks
- Fully adjustable mounting head assembly
- Rugged heavy gauge tubular steel construction

W41025

1000 lb.
CAPACITY



\$123⁵⁹

ELECTRIC BLOWER 1200 CFM

- Moves 1,200 cubic feet per minute of air
- Feel the air flow up to 30 feet away
- Sets in four different positions for concentrated air flow and fast drying
- 3-speed switch allows different levels of air speed
- CSA listed 255294



\$113²⁹

W50068

407 PC. O-RING ASSORTMENT

- Nitrile Butadiene Rubber
- Suitable for many Hydrocarbons, Fats, Oils, Gas, etc..
- Not Suitable for use with Brake Fluids
- Good Abrasion Resistance and Resistant to Compression
- High Tensile Strength. Shore A durometer (hardness) 70
- Temperature range of -50F to 220F

W5202

\$14²⁹



215 PC. CHRYSLER TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on Chrysler vehicles
- 215pc auto body retainer, fastener, and clip assortment for Chrysler vehicles

W5242

\$22⁷⁹



419 PC. METRIC O-RING ASSORTMENT

- Nitrile Butadiene Rubber
- Suitable for many hydrocarbons, fats, oils, gas, etc.
- Not suitable for use with brake fluids
- Good Abrasion Resistance and Resistant to Compression
- High Tensile Strength. Shore A durometer (hardness) 70

W5203

\$14²⁹



290 PC. BMW TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on BMW vehicles
- 290pc auto body retainer, fastener, and clip assortment for BMW vehicles

W5248

\$22⁷⁹



340 PC. TOYOTA TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on Toyota and Lexus vehicles
- 340pc auto body retainer, fastener, and clip assortment for Toyota and Lexus vehicles

W5243

\$30³⁹



415 PC. FORD TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on Ford vehicles
- 415pc auto body retainer, fastener, and clip assortment for Ford vehicles

W5241

\$27⁶⁹



350 PC. GM TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on GM and Chevrolet vehicles
- 350pc auto body retainer, fastener, and clip assortment for GM and Chevrolet vehicles

W5240

\$31⁶⁹



408 PC. NISSAN TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on Nissan vehicles
- 408pc auto body retainer, fastener, and clip assortment for Nissan vehicles

W5258

\$24⁸⁹



418 PC. HONDA TRIM CLIP ASSORTMENT

- All the essential retainers, fasteners, and clip needed for the auto body panels on Honda vehicles
- 418pc auto body retainer, fastener, and clip assortment for Honda vehicles

W5244

\$29⁸⁹



15 PC. DRAIN PLUG SOCKET SET

- Chrome Vanadium Construction
- Includes Storage Rail
- Sizes: (Hex) 9, 10, 12, 14 and 17mm; (Square) 7, 8, 11, 13mm, 5/16", 3/8"; (Female Square) 10mm; (Male Triangle) 10mm, (Tamper-proof Triple Square) 16mm

W54287



\$32⁶⁹

OIL CARTRIDGE SOCKET SET

- Contains 24, 27, 29, 30, 32, 36 and 38mm Sizes
- Low profile 6-point design with 3/8 in. drive to fit a ratchet or extension
- Cr-V Construction for strength and durability

W54085



\$35⁷⁹

MULTIFUNCTION REFRACTOMETER

- Refractometers measure refraction index to calculate the composition of various materials
- Measurements are on the Brix scale in varying ranges depending on what's tested
- Measures DEF, Ethylene Glycol, Propylene Glycol, Battery Fluid, and Cleaning Fluids
- ATC - Automatic Temperature Compensation
- Heavy duty lightweight aluminum construction, includes a protective storage case

W80158

\$56¹⁹



10 PC. FAN CLUTCH WRENCH SET

- This set allows for easy removal of fan clutches when repairing or replacing water pumps, timing chains or fan clutch
- Also useful when installing or removing engines, and for a variety of other engine service projects
- Hold the fan clutch with the clutch holding tool while using the correct wrench to turn the fan clutch nut
- Square drives designed for use with a breaker bar for additional torque
- For use on your Ford, GM or Chrysler

W89400

\$125⁶⁹



DISC BRAKE CALIPER SERVICE SET

- For use on most import and domestic vehicles equipped with disc brakes
- Bilingual Instructions
- Replacement part availability

W89200

\$61⁵⁹



HARMONIC BALANCER INSTALLER

- Special adapters make this a complete master harmonic balancer installer set for most car and light truck applications
- Set includes the traditional installer adapters as well as long reach adapters for late model applications
- Works on most European and Asian vehicles including BMW, VW, Toyota, Honda, Kia and Hyundai
- Services harmonic balancers as well as under drive pulleys and recessed crank threads on Dodge Hemi, GM Gen III/IV, and Ford 4.6 and 5.4 modular engines

W89710

\$48⁴⁹



MASTER FUEL INJECTION TEST KIT

- Quickly and accurately diagnose fuel injection problems
- Adapters for most foreign and domestic fuel systems
- Includes universal inline adapter for unique systems
- Set includes: 0-100 PSI (0-7.0 bar) gauge with boot & hang up hook
- GM 2.5L & 5.7L fuel injection pressure test adapter, hose clamps and hose
- GM throttle body injection (TBI) fuel pressure adapter, seals, tank valve, gasket, single & double end barbed hose adapter

W89726

\$133³⁹



FLEX HEAD OXYGEN SENSOR WRENCH

- Designed for all oxygen sensors with 7/8 inch(22 mm) hex
- Flex head offers needed clearance for removal or installation of oxygen sensors when it is positioned close to the floorboard or when leverage is needed around an exhaust pipe
- Ford Contours, 4.6L and 5.4L Ford modular engines, 7/8 inch and 22mm knock sensors used on mid-sized trucks, SUVs and vans
- Curved handle allows user to easily work around exhaust
- Made of chrome vanadium steel

W84007

\$17⁷⁹



2-1/2" BRAKE ROTOR HONE

- Use to score a cross hatch pattern on the surface of brake rotors
- Works on automotive and motorcycle brake rotors, and flywheels
- Gain lower harmonic vibration, and a quieter braking system
- 2-1/2 in. diameter 120 grit flexible ball stones



W80629

\$31⁴⁹

